GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department - Disciplinary action initiated under Rule 20 of APCS (CC&A) Rules, 1991 against Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District on the allegations of irregularities in thirteen (13) Neeru-Chettu works (Work Nos. 3, 4, 5, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44) - Expired on 25.08.2023 – Further action abated – Orders - Issued.

WATER RESOURCES (VIG-III.2) DEPARTMENT

G.O.Rt.No.293 Date: 19.08.2024

Read the following:

1. Vigilance Report No:10/(C.No.4916/V&E/Engg/2019, dt: 04.09.2020 of the General Administration (Vigilance & Enforcement) Department, Vijayawada.
2. G.O.Rt.No.1350, 1466, 1471, 1476, 1481, 1486, 1491, 1496, 1501, 1506, 1511, Water Resources (VIG-III.2) Department, dated: 02.06.2022.
3. G.O.Rt.No.1930, Water Resources (VIG-III.2) Department, dt: 19.09.2022.
4. G.O.Rt.No.1940, Water Resources (VIG-III.2) Department, dt: 20.09.2022.
5. Letter from ENC (AW), Lr.No:RC/ENC/K/DEE1(V)/AEE6/ NC/NLR/E-8243267, dt: 22.12.2023.

*****

ORDER:

In the reference 1st read above, it was brought to the notice of the Government that certain irregularities were took place in the following thirteen (13) Neeru-Chettu works:

S.No.	Name of the Work	Work No.	Annexure No.
1.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Construction of Gated Check Dam with Fiber Reinforced Shutters across Marriootlavaagu aluva Vaagu near Basinepalli Village in S.R.Puram Mandal of Nellore District" (Work No.3) (Annexure-347) – Estt. Cost 26.01 Lakhs - Vigilance report -Reg.	3	347
2.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Construction of Gated Check Dam with Fiber Reinforced Shutters Komati Vaagu near Jayapuram Village in S.R.Puram mandal of Nellore District" (Work No.4) (Annexure-348) – Estt. Cost 20.51 Lakhs - Vigilance report -Reg.	4	348
3.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Construction of Gated CheckDam with Fiber Reinforced Shutters Polaiah kunta Vaagu near maramreddypalli Village in S.R.Puram mandal in Nellore District" (Work No.5) (Annexure-349) - Estt. Cost 22.60 Lakhs - Vigilance report -Reg.	5	349
4.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Upstreamside of K.N.Palli Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.35) (Annexure-379) – Estt. Cost 9.75 Lakhs - Vigilance report -Reg.	35	349

(P.T.O.)

5.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Downstreamside of K.N.Palli Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.36) (Annexure-380) – Estt. Cost 9.72 Lakhs - Vigilance report -Reg.	36	380
6.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Upstreamside of Kuntaneelapadu Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.37) (Annexure-381) – Estt. Cost 9.6 Lakhs - Vigilance report -Reg.	37	381
7.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Downstreamside of Kuntaneelapadu Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.38) (Annexure-382) – Estt. Cost 9.50 Lakhs - Vigilance report -Reg.	38	382
8.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Upstreamside of P.N.Palli Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.39) (Annexure-383) – Estt. Cost 9.20 Lakhs - Vigilance report -Reg.	39	383
9.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Downstream side of P.N.Palli Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.40) (Annexure-384) – Estt. Cost 9.4 Lakhs - Vigilance report - Reg.	40	384
10.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Upstreamside of Rajupalem Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.41) (Annexure-385) – Estt. Cost 9.85 Lakhs - Vigilance report -Reg.	41	385
11.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near Downstream side of Rajupalem Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.42) (Annexure-386) – Estt. Cost 9.72 Lakhs -Vigilance report - Reg.	42	386
12.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh "Desilting of Kethamanneru Vagu course near Upstream side of Chunchuluru Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.43) (Annexure-387) – Estt. Cost 9.80 Lakhs - Vigilance report - Reg.	43	387

13.	W.R.Dept. – Verification of works taken up under NEERU-CHETTU Programme in Andhra Pradesh – "Desilting of Kethamanneru Vagu course near downstream side of Chunchuluru Village to feed Ananthasagaram tank in Marripadu Mandal of SPSR Nellore District" (Work No.44) (Annexure-388) – Estt. Cost 9.55 Lakhs -Vigilance report - Reg.	44	388

2. In the references 2nd, 3rd and 4th read above, Article of Charges in the above thirteen (13) works, under Rule 20 of APCS (CC&A) Rules, 1991, were issued to Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District.

3. In the circumstances stated in the reference 5th read above, the Engineer-in-Chief (AW), Water Resources Department, Vijayawada has requested the Government to abate the Article of Charges against Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District, as he was expired on 25.08.2023.

4. Government, after careful examination of the matter have decided to abate further action against Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District and accordingly hereby abate further action against Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District against whom Article of Charges, as detailed at Para-1 above, were issued, as he was expired on 25.08.2023, subject to recovery of loss if any, caused to the Government under Rule 9(7) (a) of A.P.R.P. Rules, 1980.

5. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G Sai Prasad I A S
Special Chief Secretary To Govt

To

Legal heirs of late Sri Sk.Khadar Masthan, the then AE, Irrigation Division, Atmakur, SPSR Nellore District through the Engineer-In-Chief (AW), Vijayawada.

Copy to:

The Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada with a request to submit the dated acknowledgement of the individual to the Government without any delay.

The General Administration (Vigilance & Enforcement) Department, Vijayawada.

The Accountant General, A.P., Vijayawada.

The District Treasury Officer concerned.

The Secretary to VC, APVC, Vijayawada.

//FORWARDED::BY ORDER//

SECTION OFFICER